

SAFETY DATA SHEET

Version 8.2
Revision Date 2024/02/17
Print Date 2025/08/12
Date of first issue 17.02.2024
SDS No. Eternal-Element - ET-LaCl-202501
Product Number Eternal-Element - ET-LaCl-202501

Lanthanum(III) chloride hydrate

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Lanthanum(III) chloride hydrate

Product Number : ET-LaCl-202501
Brand : Eternal-Element
CAS-No. : 17272-45-6

1.2 Details of the supplier of the safety data sheet

Company : Shanghai Sheeny Metal Mateirals Co.,Ltd.

Room 210, Kedi Building,
No. 688 Huajiang Road, Jiading District,
SHANGHAI
201800 SHANGHAI CHINA
上海斯年金属材料有限公司
上海市嘉定区华江公路688号凯迪大厦210室
邮政编码：201800

Telephone : +86 16602150044
Fax : +86 16602150044

1.3 Emergency telephone

Emergency Phone # : +86 4006632276

1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

SECTION 2: Hazards identification

Summary of emergency

Powder with lumps May be harmful if swallowed., Causes skin irritation., Causes serious eye irritation., May cause respiratory irritation. Show this material safety data sheet to the doctor in attendance. After inhalation: fresh air. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. After eye contact: rinse out with plenty of water., Call in ophthalmologist., Remove contact lenses. After swallowing: immediately make victim drink water (two glasses at most)., Consult a physician. Not combustible. Ambient fire may liberate hazardous vapours.

2.1 GHS Classification

Acute toxicity, Oral (Category 5), H303

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Warning

Hazard Statements

H303

May be harmful if swallowed.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

Precautionary Statements

Prevention

P261

Avoid breathing dust.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/ eye protection/ face protection.

Response

P302 + P352

IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312

Call a POISON CENTER/ doctor if you feel unwell.

P332 + P313

If skin irritation occurs: Get medical advice/ attention.

P337 + P313

If eye irritation persists: Get medical advice/ attention.

Storage
P403 + P233
P405

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal
P501

Dispose of contents/ container to an approved waste disposal plant.

Caution - substance not yet tested completely.

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Warning

Hazard Statements

H303 May be harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary Statements none

2.3 Physical and chemical hazards

Referring to current information, no physical or chemical hazard.

2.4 Health hazards

H303 May be harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

2.5 Environmental hazards

Referring to current information, no environmental hazard.

2.6 Other hazards - none

SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

3.1 Substances

Formula : $\text{Cl}_3\text{La} \cdot x\text{H}_2\text{O}$
Molecular weight : 245.26 g/mol
CAS-No. : 20211-76-1

Hazardous ingredients

Component	Classification	Concentration
Lanthanum(III) chloride hydrate	Acute toxicity Category 5; Skin irritation Category 2; Eye irritation Category 2A; Specific target organ toxicity - single exposure Category 3; H303, H315,	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

4.4 Notes to physician

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

Lanthanum oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Keep in a dry place.

Storage class

Storage class (TRGS 510) : 11 : Combustible Solids

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time : 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time : 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Physical state Powder with lumps
- b) Color No data available
- c) Odor No data available

Page 6 of 11

d)	Melting point/freezing point	Melting point/range : 92 - 93 °C - lit.
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	No data available
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	pH	No data available
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density Relative density	No data available No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.2 Possibility of hazardous reactions

No data available

10.3 Conditions to avoid

Exposure to moisture.

no information available

10.4 Incompatible materials

Strong oxidizing agents, Strong acids

10.5 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 4,184 mg/kg

Inhalation : No data available

Dermal : No data available

LD50 Intraperitoneal - Rat - 106 mg/kg

LD50 Intraperitoneal - Mouse - 121 mg/kg

LD50 Subcutaneous - Mouse - 2,424 mg/kg

LD50 Intravenous - Mouse - 18 mg/kg

LD50 Intravenous - Rabbit - 148 mg/kg

LD50 Intraperitoneal - Guinea pig - 129 mg/kg

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Remarks: No data available

Remarks: No data available

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS : OE4375000

Symptoms and signs of poisoning are:, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA-DGR: -

14.2 UN proper shipping name

ADR/RID : Not dangerous goods
IMDG : Not dangerous goods
IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA-DGR: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA-DGR: -

14.5 Environmental hazards

ADR/RID : no

IMDG Marine pollutant: no

IATA-DGR: no

14.6 Special precautions for user**14.7 Incompatible materials**

Strong oxidizing agents, Strong acids

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****Measures on the Environmental Administration of New Chemical Substances Registration**

Registration/Notification number : B1A222214562

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

- H303 May be harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Eternal-Element Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Page 10 of 11

with the above product. See www. eternal-element.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright Shanghai Sheeny Metal Mateirals Co.,Ltd. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact sales@eternal-element.com.